Safety Data Sheet

	Issue	date:	3/18/2021			
Section 1: Product an	nd Company Information	n				
Product Identifier: Product Code/SKU:	SANITECH HD CHLORINATED MACHINE DETERGENT 10863					
Recommended Use: Restrictions on Use: Product Dilution Information	Industrial/Institutional Warewash Use only for purpose found on lab Normal usage range 0.	el.	55%			
Manufacturer:	American Chemical Systems II, LLC 3505 W. 29th Street South Wichita, KS USA 67217 (800)889-3489 americanchemicalsystems.com					
Emergency Telephone:	Chemtrec 1-800-424-9	0300 USA and	l Canada			
Section 2: Hazard Id	entification					
	Product as Sold		Product at use Dilution			
GHS Classification:	Corrosive to metals - category 1 Skin irritation/corrosion Eye irritation/eye damage		Not classified			
GHS Labeling Element Signal Word: Symbol:	Danger	No.	No signal word No symbol			
Hazard Statement:	Corrosive to metals Causes skin and eye damage		No known significant effects or hazards			
Precautionary Statements: Prevention:	Wear protective clothing, gloves, a and face protection.	and eye	Wash hands with water after handling			
Response:	i i i i i i i i i i i i i i i i i i i		0			
If swallowed: If on skin:	Rinse mouth, do not induce vomiti Wash with water, remove contami clothing.	0	Seek medical assistance if symptoms persist.			
Inhalation:	Remove person to fresh air - admi artificial respiration if not breathi					
If in eye:	Flush continuously with water - re contacts and continue flushing wi	th water.				
Treatment: Storage:	Seek medical assistance if sympton Keep product stored in original con an upright position, with containe closed.	ntainer, in				
Disposal:	Dispose of contents/container according local/regional regulations.	ording to	Dispose of contents/container according to local/regional regulations.			
Other Hazards:	None known	1.	None known			
Section 3: Compositi	ion/Information on Ingr Product as Sold	edients	Duodust at use Dilution			
Substance/Mixture:	Mixture		Product at use Dilution			
Chemical name	Product Identifier	%				
Sodium Hydroxide Sodium Carbonate	CAS 1310-73-2 CAS 497-19-8	20-40% 20-40%	Within the current knowledge of the manufacturer and in the concentrations			

Sodium Metasilicate	CAS 6834-92-0	5-10%	applicable, there are no hazardous
Dichloroisocyanuric acid, sodium salt	CAS 2893-78-9	1-5%	ingredients that would require reporting.

There are no additional ingredients present which, within the current knowledge of the manufacturer and in the concentrations applicable, are classified as hazardous to health or to the environment and hence require reporting in this section. Concentration percentages are given as a claim for a trade secret is being made.

Section 4: First Aid Measures

Section 4. 1 list Alu					
First Aid Measures:	Product as Sold	Product at use Dilution			
General:	Never give anything by mouth to an	Never give anything by mouth to an			
	unconscious person. If you feel unwell, then	unconscious person. If you feel unwell,			
	seek medical assistance.	then seek medical assistance.			
If swallowed:	Rinse mouth, do not induce vomiting.	Seek medical assistance if symptoms persist.			
If on skin:	Wash with water, remove contaminated	No known effect after skin contact. Rinse			
	clothing.	w/ water.			
Inhalation:	Remove person to fresh air - administer	No specific measures required.			
	artificial respiration if not breathing.				
If in eye:	Flush continuously with water - remove	No know effect with eye contact. Flush with			
	contacts and continue flushing with water.	water.			
Treatment:	Seek medical assistance if symptoms persist.				
Important Symptoms and Effect	cts, both Acute and Delayed				
Symptoms/Injuries:	Causes severe skin burns and eye damage.				
	Effects of exposure may be delayed.				
If swallowed:	Ingestion is likely to be harmful and have	Seek medical assistance if symptoms persist.			
	adverse health effects.				
If on skin:	Causes skin burns.				
Inhalation:	Symptoms may cause irritation to the				
	respiratory tract.				
If in eye:	Causes eye damage.				
Recommendation:	Seek medical assistance if symptoms persist	Seek medical assistance if symptoms persist			
	or concerns are present.	or concerns are present.			
First Aid Providers	All first aid providers should receive proper tra	All first aid providers should receive proper training before performing any first aid act			
	that would involve personal risk. Wash contar	ninated clothing with water thoroughly			
before removal or wear gloves.					

Section 5: Firefighti	ng Measures
Suitable Fire Extinguishing Media: Special Hazards: Advice for Firefighters:	No special media necessary. Use extinguishing media appropriate for surrounding fire. Product is non flammable and is not explosive. Product is corrosive to metals as sold. Exercise caution when fighting any chemical fire. Use a water spray to cool containers. Do not enter fire area without proper protective equipment, including respiratory protection.
Section 6: Accidenta	al Release Measures
Personal Precautions: Environmental Precautions:	Initiate company's spill procedures. Do not walk through or touch spilled product. Do not get on skin, in eyes, or on clothing. Put on appropriate personal protection equipment. Avoid runoff into public waterways, sewers, or onto soil.
Methods for Clean Up:	Follow company's spill procedures. Put on appropriate protective clothing. Neutralize/ absorb spilled product with inert material. Dispose of inert material by placing in suitable container. Dispose of waste safely. Rinse with water for a final clean up.
Section 7: Handling	g and Storage
Precautions for Safe	Do not get on skin, in avec, or on elething. Do not breathe vener or mist. Do not handle

Handling:	Do not get on skin, in eyes, or on clothing. Do not breathe vapor or mist. Do not handle
	until all safety procedures have been read and understood. Wash hands and other
	exposed areas with soap and water after handling.
Conditions for Safe Storage:	Keep product in original container, in an upright position, with container tightly closed.
_	Keep out of reach of children.

Section 8: Exposure Controls/Personal Protection

Control parameters: Ingredient Name

Exposure Limits

Sodium Hydroxid	de USA ACGIH Ceilin	ng 2 mg/m^3		
	NIOSH REL	2 mg/m^3		
	OSHA PEL (TWA)			
	Product as Sold	Product at use Dilution		
Engineering Controls:	Use adequate ventilation. Keep vapor/fumes below statutory limits. Provide availability to water to flush skin or eyes in case of exposure.	Normal ventilation should be adequate to control vapor/fumes.		
Personal Protection:	•			
Hand protection:	Wear chemical resistant gloves	None needed under normal use conditions		
Eye protection:	Use chemical splash goggles. For severe exposure, wear face shield.	None needed under normal use conditions		
Skin protection:	Wear suitable protective clothing.	None needed under normal use conditions		
Respiratory protection:	Not necessary under normal operating and	None needed under normal use conditions		
	intended use of this product.			
General:	ash hands, face, and arms after handling chemical products and before eating, drinking,			
	or using restroom. Wash contaminated clothi	ng before wearing again.		
Section 9: Physical an	d Chemical Properties			
	Product as Sold	Product at use Dilution		
Physical state:	Powder	Liquid		
Color:	White	Clear		
Odor:	Chemical	Chemical		
pH:	12-14	12-14		
Evaporation rate:	No data available			
Melting point:	No data available			
Freezing point:	No data available			
Boiling point:	No data available			
Flash point:	No data available			
Explosion limits:	No data available			
Flammability (solid/gas)				
Vapor pressure:	No data available			
Vapor density:	No data available			
Relative density:	>1 (water=1)			
Solubility:	No data available			
Decomposition temperat	ure: No data available			
Section 10: Stability a	nd Reactivity			
¥	Corresive to metals			


1 CHOIL 1 DIIILY -

Reactivity:	Corrosive to metals.
Chemical stability:	Stable.
Hazardous Reactions:	Hazardous polymerization will not occur.
Conditions to Avoid:	Direct sunlight. Extreme temperatures. Contact with metal.
Incompatible Materials:	Strong acids. Strong bases. Strong oxidizers. Metals.
Hazardous Decomposition	Under normal conditions of storage and use, hazardous decomposition products should
Products:	not occur.

Section 11: Toxicological Information

sure:	Ingestion. Skin contact. Inhalation. Eye contact.				
	Product as Sold		Product at use D	ilution	
Ingestion:	Adverse effects: stomach pains		No specific data		
Skin Contact:	Adverse effects: irritation, redness	, blisters	No specific data		
Inhalation:	Adverse effects: cough, respiratory	irritation	No specific data		
Eye Contact:	Adverse effects: redness, watering,	irritation	No specific data		
Ingestion:	May cause burns to mouth, throat, stomach		No known effects or critical hazards		
Skin Contact:	May cause skin burns		No known effects or critical hazards		
Inhalation:	May cause respiratory irritation		No known effects or critical hazards		
Eye Contact:	May cause serious eye damage.		No known effects or critical hazards		
Sodium Hydroxide (1310-73-2)		LD50 derr	nal rabbit	1350 mg/kg	
Sodium Carbonate (497-19-8)		LD50 oral rat		4090/mg/kg	
Sodium Metasilicate (6834-92-0)		LD50 oral rat		600 mg/kg	
Dichloroisocyanuric acid, sodium salt (2893-78-9)		LD50 oral rat		735 mg/kg	
Dichloroisocyanuric acid, sodium salt (2893-78-9)		LD 50 dermal rat		>5000mg/kg	
	Ingestion: Skin Contact: Inhalation: Eye Contact: Ingestion: Skin Contact: Inhalation: Eye Contact: Sodium Hydrox Sodium Carbor Sodium Metasi Dichloroisocya	Product as SoldIngestion:Adverse effects: stomach painsSkin Contact:Adverse effects: irritation, redness.Inhalation:Adverse effects: cough, respiratoryEye Contact:Adverse effects: redness, watering,Ingestion:May cause burns to mouth, throat,Skin Contact:May cause skin burnsInhalation:May cause respiratory irritationEye Contact:May cause serious eye damage.Sodium Hydroxide (1310-73-2)Sodium Carbonate (497-19-8)Sodium Metasilicate (6834-92-0)Dichloroisocyanuric acid, sodium salt (2893-78-9)	Product as SoldIngestion:Adverse effects: stomach painsSkin Contact:Adverse effects: irritation, redness, blistersInhalation:Adverse effects: cough, respiratory irritationEye Contact:Adverse effects: redness, watering, irritationIngestion:May cause burns to mouth, throat, stomachSkin Contact:May cause skin burnsInhalation:May cause respiratory irritationEye Contact:May cause respiratory irritationEye Contact:May cause serious eye damage.Sodium Hydroxide (1310-73-2)LD50 dermSodium Carbonate (497-19-8)LD50 oralSodium Metasilicate (6834-92-0)LD50 oralDichloroisocyanuric acid, sodium salt (2893-78-9)LD50 oral	Product as SoldProduct at use DIngestion:Adverse effects: stomach painsNo specific dataSkin Contact:Adverse effects: irritation, redness, blistersNo specific dataInhalation:Adverse effects: cough, respiratory irritationNo specific dataEye Contact:Adverse effects: redness, watering, irritationNo specific dataIngestion:May cause burns to mouth, throat, stomachNo known effects oSkin Contact:May cause burns to mouth, throat, stomachNo known effects oInhalation:May cause respiratory irritationNo known effects oSkin Contact:May cause respiratory irritationNo known effects oInhalation:May cause serious eye damage.No known effects oSodium Hydroxide (1310-73-2)LD50 dermal rabbitSodium Carbonate (497-19-8)LD50 oral ratSodium Metasilicate (6834-92-0)LD50 oral ratDichloroisocyanuric acid, sodium salt (2893-78-9)LD50 oral rat	

	Dichloroisocvan	uric acid, sodium sa	lt (2893-78-9)	LD dermal	rabbit	>2000 mg/kg	
		uric acid, sodium sa			on rat (mg/l)	>50 mg/l 1 hour	
Carcinogenicity	:	No known effects o	r critical hazards				
Reproductivity:		No known effects o					
	: Ecological	Information					
Toxicity:	C. P. J. H. J.	(1010 70 0)	LCCO Etch 1	45 4	Exposure	Species	
	Sodium Hydrox	Ide (1310-73-2)	LC50 Fish 1	45.4 mg/l	96 h	Oncorhynhchus mykiss [static]	
	Sodium Carbona	, ,	LC50 Fish 1	300 mg/l	96h	Lepomis Macrochirus [static]	
	Sodium Carbona	, ,	EC 50 Daphina		48 h	Daphnia magna	
	Sodium Carbona Sodium Carbona	· · · · ·	EC 50 Other LC50 Fish 2	242mg/l 310-1220 m	120 h ng/l 96h	Nitzschia Pimpephales promelas [static]	
		ate (497-19-0)	LCJ0 FISH 2	510-1220 11	1g/1 5011	Timpephales prometas [static]	
	Sodium Metasili	icate (6834-92-0)	LC50 Fish 1	210 mg/l	96 h	Brachydanio rerio [semi-static]	
		icate (6834-92-0)	EC50 Daphina 1		96 h	Daphnia magna	
	Sodium Metasili	icate (6834-92-0)	LC50 Fish 2	210 mg/l	96 h	Brachydanio rerio	
Dichloroisocvar	uric acid. sodiur	n salt (2893-78-9)	LC50 Fish 1	.25-1 mg/l	96h	Lepomis Macrochirus [static]	
		n salt (2893-78-9)	EC 50 Daphina			Daphnia magna	
Dichloroisocyar	uric acid, sodiur	n salt (2893-78-9)	LC50 Fish 2	.0389mg/l	96h	Lepomis Macrochirus [flow]	
Dichloroisocyar	uric acid, sodiur	n salt (2893-78-9)	EC50 Daphina 1	l .16 mg/l	48 h	Daphnia magna	
Persistence and	degradability.	Not established					
Bioaccumulativ		Not established					
Mobility in Soil	:	Not established					
Other adverse e	ffects:	None noted					
Section 13: 1	Disposal Con	siderations					
Dianagal matha	da	Product as Sold				use Dilution	
Disposal metho	us.	Dispose of waste in accordance with local regional, and national regulations			al, Diluted product may be drained to sanitary sewer. Discard empty container into trash.		
Section 14:	Fransport Inf					* *	
	vith: ICAO/IATA	/DOT/TDG	0 ct as Sold				
DOT Classificat	ion:	UN 1759					
DOT Shipping r	name:	Corrosive Solid, N.	O.S. (Contains So	odium Hydro	oxide)		
Class:		8					
Packing Group:		III See shipping docur	nanta fan anasifia	trancratat	an informati		
Bulk Transport: Marine Pollutar		No	lients for specific	li alispoi tat		011	
		y Information	1				
US Federal Reg		y mior mation	•				
	(b) Inventory	All com	ponents are liste	d or exempte	ed		
SARA 3			nicals subject to	reporting			
SARA 3			ealth hazard				
SARA 3 SARA 3			nicals subject to nicals subject to				
			filcals subject to	reporting			
Section 16	: Other Info		ct as Sold		Product at	use Dilution	
Hazardous Mat	erial Information				1 I Ouuci ai	use Dilution	
	Health		3]	Health	0	
	Flammability		0		Flammabilit		
	Physical Hazard	S	0	4	Physical Haz	cards 0	
				J			
National Fire P	rotection Associa	tion (U.S.A.)					
		· · · · · · · · · · · · · · · · · · ·					
						Flammability	



The information provided in this SDS Safety Data Sheet is correct to the best of knowledge, information, and belief at this date of publication. The information given is designed only as a guide for safe usage, handling, transporting, storage, disposal and is not to be considered a warranty or quality specification. No warranty, either express or implied, is made to the completeness or continuing accuracy of this information.